ORDER FOR SUPPLIES OR SERVICES								PAGE 1 OF 22				
	ACT PURCH O		ER/AGREEMENT NO.	2. DELIV	VERY ORDER	/CALL NO.	3. DATE OF ORD (YYYYMMMDD) 2003DEC12	ER/CAL		UISITION/PURCH RE	QUEST NO.	5. PRIORITY DOA4
6. ISSUED	BY			CODE	W56HZV	7. ADMINIST	ERED BY (If other t	han 6)	DEE .		1403A	8. DELIVERY FOB
AMS ELA WAR	REN, MICHI	( 5 GAN	BLDG 231 586)574-7250 1 48397-5000 CACOM.ARMY.MIL ING.TACOM.ARMY.M	4IL		1523 BLDO ARL3	A CHICAGO 3 WEST CENTRA G 203 INGTON HEIGHT	S II				X DESTINATION OTHER (See Schedule if
9. CONTR	ACTOR			CODE	6Z419	SCD: C FACIL			ELIVER TO F	ADP PT: HQ033 OB POINT BY (Date)	39	other) 11. X IF BUSINESS IS
	•					1	•	(Y	YYYMMMDI	D)		X SMALL
			METAL PRODUCTS	INC.				SEE	SCHEDULE	Σ		SMALL
NAME			IL. 60623-3312						ISCOUNT TEI	RMS		DISADVANTAGED
AND ADDRESS	3							Net	30 Days			WOMAN-OWNED
								13. M	AIL INVOICE	S TO THE ADDRESS	IN BLOCK	
	TYPE B	USI	INESS: Other Sma	all Bus	iness Perf	forming in	U.S.	See	Block 15	5		
14. SHIP 7	го			CODE		15. PAYMENT	T WILL BE MADE	BY		COD	E HQ0339	MARK ALL
SEE	SCHEDULE						S - COLUMBUS S-CO/WEST ENT			ATIONS		PACKAGES AND PAPERS WITH
						P.O	. BOX 182381					IDENTIFICATION NUMBERS IN
						COL	UMBUS, OH 432	218-23	381			BLOCKS 1 AND 2
16. TYPE	DELIVERY/ CALL		THIS DELIVERY ORDER	R IS ISSUED	ON ANOTHER C	GOVERNMENT AG	ENCY OR IN ACCORD	DANCE W	/ITH AND SUBJE	ECT TO TERMS AND COM	NDITIONS OF ABOV	E NUMBERED CONTRACT.
OF ORDER	PURCHASE	х	Reference your RUDY M. LUNG	Oral	_	-	6HZV04Q0009 specified herein.	, D	Dated 20030	CT20 .		
		21								MBERED PURCHASI AND AGREES TO PE		MAY PREVIOUSLY HAVE ME.
If th	NAME OF CONTRACTOR SIGNATURE TYPED NAME AND TITLE DATE SIGNED (YYYYMMMDD)  If this box is marked, supplier must sign Acceptance and return the following number of copies:											
17. ACCO	OUNTING AND	APP	ROPRIATION DATA/LO	OCAL USE								
18. ITEM	SCHEDULE NO. 19. SO	НЕ	DULE OF SUPPLIES/SI	ERVICE			20. QUANTITY	7	21.	22. UNIT PRICE	23. AMOUNT	
							ORDERED/ ACCEPTED*		UNIT			
			HEDULE CT TYPE:									
			-Fixed-Price									
			F CONTRACT:	d Drigo	d Ordora							
			ly Contracts and									1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
same as qu	accepted by the nantity ordered,	indi	cate by X.	4. UNITED		NNIS /SIGNE			-		25. TOTAL 26.	\$13,472.55
	t, enter actual qu rdered and enci		ty accepted below B	BY:	DENNISE@	TACOM.ARMY	.MIL (586)574			ORDERING OFFICER	DIFFERENCE	5
27a. QUAI	NTITY IN COLU	JMN	20 HAS BEEN									•
	PECTED	_	ECEIVED A		-	ORMS TO CONT	c. DATE	NOTE		D NAME AND TITLE	OF AUTHORIZE	D COVERNMENT
b. Signa	TOKE OF ACT	IOK	EED GOVERNMENT	KEI KEGE	VIAIIVE		(YYYYMMMD	D)		SENTATIVE	OF AUTHORIZE	DOVERNMENT
e. MAILI	NG ADDRESS O	)F A	UTHORIZED GOVERN	MENT RE	PRESENTATT	VE	28. SHIP. NO.		29. D.O. VOU	CHER NO.	30. INITIALS	
							<u> </u>	_	32. PAID BY		33. AMOUNT	ERIFIED CORRECT FOR
f. TELEP	HONE NUMBE	R	g. E-MAIL A	ADDRESS			PARTIA	L				
							J FINAL 31. PAYMENT	,			34. CHECK NU	MBER
36. I CER	TIFY THIS ACC	COU	NT IS CORRECT AND I	PROPER F	OR PAYMEN?	г.	COMPL				o ii olimoii ii	
a. DATE			b. SIGNATURE AND	TITLE OF	CERTIFYING	OFFICER	<b>-</b>				35. BILL OF L	ADING NO.
(YYYYM!	MMDD)						FINAL	L				
37. RECE	IVED AT		38. RECEIVED BY (P	'rint)	39. DATE RE (YYYYMM)		40. TOTAL CO TAINERS	ON-	41. S/R ACCO	OUNT NUMBER	42. S/R VOUCE	IER NO.

## Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0204

MOD/AMD

Page 2 of 22

Name of Offeror or Contractor: ROCKWELL METAL PRODUCTS INC.

SUPPLEMENTAL INFORMATION

1

Regulatory Cite	Title	Date
52.204-4016	TACOM-WARREN ELECTRONIC CONTRACTING	JUL/2003
(TACOM)		

- (a) TACOM is now operating in an electronic contracting environment. All TACOM solicitations and awards are now distributed on the TACOM Warren Business Opportunities web page (<a href="http://contracting.tacom.army.mil/opportunity.htm">http://contracting.tacom.army.mil/opportunity.htm</a>) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web. Please see submission guidelines at <a href="http://contracting.tacom.army.mil/userguide.htm">http://contracting.tacom.army.mil/ebidnotice.htm</a> for more information. Any requirements included in the solicitation take precedence over guidance found on the TACOM contracting web page.
- (b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.
- (c) You are required to submit your offer, bid, or quote electronically. See the provision entitled "Electronic Offers (or 'Quotes' or 'Bids') Required in Response to This Solicitation (or 'Request for Quotations')" for more specific information.
- (d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards and will include the awarded unit price. This is the notice required by Executive Order 12600 (June 23, 1987) of our intention to release unit prices in response to any request under the Freedom of Information Act (FOIA), 5 USC 552. Unit price is defined as the contract price per unit or item purchased as it appears in Section B of the contract and is NOT referring to nor does it include Cost or Pricing data/information. If you object to such release, and you intend on submitting an offer, notify the PCO in writing prior to the closing date identified in this solicitation and include the rationale for your objection consistent with the provisions of FOIA. A release determination will be made based on rationale given.
- (e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: <a href="mailto:acqcenweb@tacom.army.mil">acqcenweb@tacom.army.mil</a>
- (f) If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. Additional help is available to small businesses from Government-funded Electronic Commerce Regional Centers (ECRCs) to implement EDI. Information on ECRC is available at <a href="http://www.ecrc.ctc.com">http://www.ecrc.ctc.com</a>

## Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0204

MOD/AMD

**Page** 3 **of** 22

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 2530-01-102-4770 FSCM: 19207 PART NR: 12296922 SECURITY CLASS: Unclassified				
0001AA	PRODUCTION QUANTITY	273	EA	\$31.85000	\$8,695.05
	NOUN: HUB CAP,WHEEL PRON: EH3AA445EH PRON AMD: 01 ACRN: AA AMS CD: 070011				
	Description/Specs./Work Statement TOP DRAWING NR: TDP 12296922 DATE: 18-SEP-2003				
	NOTES: 1 - QUALIFIED PRODUCTS LISTS (QPL's) APPLY TO ITEM COMPONENT(S)/SUBASSEMBLY(IES).				
	2 - This TDP is competitive with purchased parts that are estimated at 10% - 50% of the total item cost.				
	3 - Purchased part: 12295552				
	(End of narrative D002)				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS CLAUSE UNIT PACK: 001 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance  DOC SUPPL  REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD  001 W56HZV3253T605 W25G1U J 3  DEL REL CD QUANTITY DEL DATE  001 174 03-MAY-2004				
	FOB POINT: Destination				
	SHIP TO: FREIGHT ADDRESS  (W25GlU) XU TRANSPORTATION OFFICER  DDSP NEW CUMBERLAND FACILITY  BUILDING MISSION DOOR 113 134				

## Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0204

MOD/AMD

Page 4 of 22

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	NEW CUMBERLAND PA 17070-5001				
	CONTRACT/DELIVERY ORDER NUMBER				
	W56HZV-04-P-0204/0000				
	DOC SUPPL				
	REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD				
	002 W56HZV3253T606 W62G2T J 3 <u>DEL REL CD QUANTITY DEL DATE</u>				
	001 51 04-MAY-2004				
	FOB POINT: Destination				
	SHIP TO: FREIGHT ADDRESS				
	(W62G2T) XU DEF DIST DEPOT SAN JOAQUIN				
	25600 S CHRISMAN ROAD REC WHSE 10 PH 209 839 4307				
	TRACY CA 95376-5000				
	CONTRACT/DELIVERY ORDER NUMBER				
	W56HZV-04-P-0204/0000				
	DOC SUPPL				
	REL CD         MILSTRIP         ADDR         SIG CD         MARK FOR         TP CD           003         W56HZV3253T607         SW3227         J         3				
	DEL REL CD QUANTITY DEL DATE				
	001 48 03-MAY-2004				
	FOB POINT: Destination				
	SHIP TO: <u>FREIGHT ADDRESS</u> (SW3227) DEF DIST DEPOT RED RIVER				
	RECEIVING BLDG 499				
	10TH STREET AND K AVENUE TEXARKANA TX 75507-5000				
	IEAARRAINA IA /550/-5000				
	CONTRACT/DELIVERY ORDER NUMBER				
	W56HZV-04-P-0204/0000				
0002	NSN: 2530-01-102-4770				
	FSCM: 19207				
	PART NR: 12296922 SECURITY CLASS: Unclassified				
	SECORIT CHASS. ORCIASSITICA				
0002AA	PRODUCTION QUANTITY	150	EA	\$ 31.85000	\$4,777.50
	NOUN: HUB CAP, WHEEL				
	PRON: EH4A6147EH PRON AMD: 01 ACRN: AA AMS CD: 070011				
	OPTION QUANTITY, PURSUANT TO SECTION H OR I CLAUSE ENTITLED OPTION FOR INCREASED QUANTITY				

## Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0204

MOD/AMD

**Page** 5 **of** 22

 SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
SEPARATELY PRICED LINE ITEM				
ml-				
The quantity stated for the option CLIN DOES				
NOT Form a part of the basic contractual				
quantity. Part or all of it may, however,				
be added to the contract by exercise of the option clause, at the discretion of the				
Government.				
GOVETIMENT.				
(End of narrative B001)				
·				
OPTION QUANTITY FOR THIS AWARD IS 273.				
OPTION QUANTITY USED (4A6147): 150				
REMAINING OPTION QUANTITY FOR THIS AWARD IS 123.				
REMAINING OFFICE QUANTITY FOR THIS AWARD TO 125.				
(End of narrative B002)				
(End of harrative Booz)				
Description/Specs./Work Statement				
TOP DRAWING NR: TDP 12296922				
DATE: 18-SEP-2003				
NOTES: 1 - QUALIFIED PRODUCTS LISTS (QPL's) APPLY				
TO ITEM COMPONENT(S)/SUBASSEMBLY(IES).				
TO THE COMPONENT (B) / BODE BODE (TES).				
2 - This TDP is competitive with purchased				
parts that are estimated at 10% - 50% of				
the total item cost.				
3 - Purchased part: 12295552				
3 - Fulchaseu part. 12293332				
(End of narrative D002)				
(End of harracive booz)				
Packaging and Marking				
PACKAGING/PACKING/SPECIFICATIONS:				
SEE PACKAGING REQUIREMENTS CLAUSE				
UNIT PACK: 001				
LEVEL PRESERVATION: Commercial				
LEVEL PACKING: Commercial				
Inspection and Acceptance				
INSPECTION: Origin ACCEPTANCE: Origin				
Deliveries or Performance DOC SUPPL				
REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD				
001 W56HZV3316T6011 W25G1U J 2				
DEL REL CD QUANTITY DEL DATE				
001 150 03-MAY-2004				
	1	1		
			ı	

## Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0204

MOD/AMD

Page 6 of 22

M NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	FOB POINT: Destination				
	SHIP TO: <u>FREIGHT ADDRESS</u> (W25GlU) XU TRANSPORTATION OFFICER				
	DDSP NEW CUMBERLAND FACILITY				
	BUILDING MISSION DOOR 113 134				
	NEW CUMBERLAND PA 17070-5001				
	CONTRACT/DELIVERY ORDER NUMBER W56HZV-04-P-0204/0000				

CONTINUATION SHEET					err.	Reference No. of Document Being Continued					Page 7 of 22	
	CONTINUATION SHEET					PHN/SHN W56HZV-04-P-0204			MOD/AMD			
Name	Name of Offeror or Contractor: ROCKWELL METAL PRODUCTS INC.											
CONTRAC	T ADMINISTRA	TION	DATA									
LINE	PRON/ AMS CD/		OBLG						JOB ORDER	ACCOUNT	ING	OBLIGATED
ITEM_	MIPR	ACRN		ACCOU	NTING CLAS	SIFICATION			<u>NUMBER</u>	STATION		AMOUNT
0001AA	EH3AA445EH 070011	AA	2	97 2	X4930AC6D	6D	26KB	S20113		W56HZV	\$	8,695.05
0002AA	EH4A6147EH 070011	AA	2	97 2	X4930AC6D	6D	26KB	S20113		W56HZV	\$	4,777.50
										TOTAL	\$	13,472.55
SERVICE <u>NAME</u> Army		L BY	<u>ACRN</u>		<b>NTING CLAS</b> X4930AC6D	SIFICATION 6D	26KB	S20113	ACCOU <u>STATI</u> W56HZ	ON	\$_	OBLIGATED  AMOUNT  13,472.55

TOTAL \$ 13,472.55

## Reference No. of Document Being Continued **CONTINUATION SHEET**

PIIN/SIIN W56HZV-04-P-0204 MOD/AMD Page 8 of 22

Name of Offeror or Contractor: ROCKWELL METAL PRODUCTS INC.

CONTRACT CLAUSES 2 52 211-5 MATERIAL RECUITREMENTS ATTG / 2000 52.211-17 DELIVERY OF EXCESS QUANTITIES 3 SEP/1989 52.219-6 NOTICE OF TOTAL SMALL BUSINESS SET-ASIDE JUN/2003 5 52.222-21 PROHIBITION OF SEGREGATED FACILITIES FEB/1999 6 52.225-13 RESTRICTIONS ON CERTAIN FOREIGN PURCHASES JUN/2003 7 52.232-33 PAYMENT BY ELECTRONIC FUNDS TRANSFER--CENTRAL CONTRACTOR REGISTRATION OCT / 2003 8 52.246-2 INSPECTION OF SUPPLIES--FIXED PRICE AUG/1996 9 252.211-7005 SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS FEB/2003 10 252.225-7001 BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM APR/2003 11 252.225-7016 RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS (Alternate I DEC/2000 dated Dec 2000) 12 52.209-1 QUALIFICATION REQUIREMENTS FEB/1995

- (a) Definition: Qualification requirement, as used in this clause, means a Government requirement for testing or other quality assurance demonstration that must be completed before award.
- (b) One or more qualification requirements apply to the supplies or services covered by this contract. For those supplies or services requiring qualification, whether the covered product or service is an end item under this contract or simply a component of an end item, the product, manufacturer, or source must have demonstrated that it meets the standards prescribed for qualification before award of this contract. The product, manufacturer, or source must be qualified at the time of award whether or not the name of the product, manufacturer, or source is actually included on a qualified products list, qualified manufacturers list, or qualified bidders list. Offerors should contact the agency activity designated below to obtain all requirements that they or their products or services, or their subcontractors or their products or services, must satisfy to become qualified and to arrange for an opportunity to demonstrate their abilities to meet the standards specified for qualification.

(Name) SEE SUPPORTING ACTIVITY(IES) LISTED IN THE SPECIFICATION(S) (Address)

(c) If an offeror, manufacturer, source, product or service covered by a qualification requirement has already met the standards specified, the relevant information noted below should be provided.

Offeror's Name		
Manufacturer's Name		
Source's Name		
Item Name		
Service		
Identification	Test Number	(to the extent known)

- (d) Even though a product or service subject to a qualification requirement is not itself an end item under this contract, the product, manufacturer, or source must nevertheless be qualified at the time of award of this contract. This is necessary whether the Contractor or a subcontractor will ultimately provide the product or service in question. If, after award, the Contracting Officer discovers that an applicable qualification requirement was not in fact met at the time of award, the Contracting Officer may either terminate this contract for default or allow performance to continue if adequate consideration is offered and the action is determined to be otherwise in the Government's best interests.
- (e) If an offeror, manufacturer, source product or service has met the qualification requirement but is not yet on a qualified products list, qualified manufacturers list, or qualified bidders list, the offeror must submit evidence of qualification prior to award of this contract. Unless determined to be in the Government's interest, award of this contract shall not be delayed to permit an offeror to submit evidence of qualification.
- (f) Any change in location or ownership of the plant where a previously qualified product or service was manufactured or performed requires reevaluation of the qualification. Similarly, any change in location or ownership of a previously qualified manufacturer or source requires reevaluation of the qualification. The reevaluation must be accomplished before the date of award.

CONTINUATION SHEET	Reference No. of Docume
	PIIN/SIIN W56HZV-04-P-0204

Reference No. of Document Being Continued

MOD/AMD

Name of Offeror or Contractor: ROCKWELL METAL PRODUCTS INC.

(a) This Request for Quotation (RFQ) or Purchase Order (PO) incorporates by reference TACOM-Warren's Master Solicitation for Simplified Acquisitions with the same force and effect as though the clauses and provisions it contains were physically incorporated into this document. The version in effect at time of award is the version that applies to your purchase order.

- (b) The TACOM-Warren Master Solicitation for Simplified Acquisitions is available on our Electronic Contracting web page, which you can reach using the following URL address: http://contracting.tacom.army.mil/opportunity.htm
- (c) The clauses and provisions in Section I of the Master Solicitation apply to all TACOM-Warren RFQs and Purchase Orders that contain this clause. The clauses contained in Section II of the Master Solicitation applies in addition to those in Section I when the RFQ or PO specifies F.O.B. Origin.
  - (d) We hereby specify that the required F.O.B. point for this acquisition is DESTINATION.
- (e) We will keep the Master Solicitation identified in this clause available on our Electronic Contracting web page during the entire period of performance of the purchase order. If the current Master Solicitation later is revised to incorporate a change in any of the clauses, the version specified in this clause will be retained, intact, in an archive area on our web page for continued reference and use.

[End of Clause]

14 52.211-4015 CONFIGURATION CONTROL--ENGINEERING CHANGES (TACOM)

JUL/2002

Page 9 of 22

#### (a) DEFINITIONS:

- (1) Engineering Change Proposal (ECP). An ECP is a suggestion that we (the Government) permanently change some requirement of the Technical Data Package (TDP). ECPs can be issued before or during contract performance. NOTE: The current Government Standard allows us ninety days to process routine ECPs. If you (the contractor) need a response in less than ninety days to meet contract requirements, you should consider submitting a deviation along with your ECP.
- (2) Request for Deviation (RFD). A RFD is a one-time request to deviate from TDP requirements. You must submit your deviation request before you deviate from the TDP requirements. You can request a deviation for a specific number of parts or the entire contract quantity.
  - (3) Value Engineering Change Proposal (VECP). A proposal that --
    - (i) Requires a change to the instant contract; and
- (ii) Results in reducing the overall projected cost to the agency without impairing essential functions or characteristics; provided, that it does not involve a change --
  - (A) In deliverable end item quantities only;
  - (B) In research and development (R&D) end items or R&D test quantities that is due solely to results of previous testing under this contract; or
  - (C) To the contract type only.
  - (4) Notice of Revision (NOR). A NOR describes the proposed changes to a technical document being requested by an ECP.
- (b) When will TACOM start processing change requests? TACOM won't start processing any ECP, VECP, or RFD until we receive the ACO's comments (see paragraph (e) below) and the ECP, VECP, or RFD documentation.
- (c) Contractor Responsibility. ECPs, VECPs, and RFD shall contain information per the instructions outlined on the Data Delivery Descriptions (DDDs) which can be found at the following website: http://contracting.tacom.army.mil/engr/engrchange.htm. Forms for preparing an ECP, VECP, or a RFD can also be found at this website. You may use other media, as long as you give us all the information outlined in the DDDs.
  - (1) Identify the two-digit Weapon System Code (WSC) on your submittal. The WSC for this procurement is MM.
- (2) The Contractor shall submit ECPs/VECPs/RFDs to the Government electronically. You must use one of the following electronic mediums: 100 megabyte Zip\*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, or E-mail. (E-mail files must be sized 3.5 mb or less.) Identify the software application, and version, that you used to create each file submitted.

CONTINUATION SHEET	Reference No. of Document Bei	Page 10 of 22	
CONTINUATION SHEET	PIIN/SIIN W56HZV-04-P-0204	MOD/AMD	

Name of Offeror or Contractor: ROCKWELL METAL PRODUCTS INC.

- (3) ECPs/VECPs/RFDs submitted in paper form are unacceptable and will be returned. You must use one of the following electronic formats:
- (i) Files readable using these Microsoft 97 Office Products: Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a file format that includes all formulae, macro and format information. Print image is not acceptable.
  - (ii) Files in Adobe PDF (Portable Document Format).
- (iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active links to live Internet sites or pages. All linked information must be contained within your electronic ECPs/VECPs/RFDs and be accessible offline.
- (iv) Other electronic formats. Before preparing your ECPs, VECPs or RFDs in any other electronic format, please e-mail the engineer, copy-furnished to the buyer and ACO, to obtain a decision as to the format's acceptability. Failure to e-mail the engineer to seek an alternate format's acceptability may result in rejection of your submission. All alternate methods must be at no cost to the Government. NOTE: The above formats may be submitted in compressed form using self-extracting files.
  - (d) Submittal Procedures for ECPs/VECPs/RFDs.
    - (1) Send one copy of the ECP, VECP or RFD in electronic format to your ACO.
    - (2) Send one copy of the ECP, VECP or RFD in electronic format to the buyer listed on the solicitation/ contract document.
- WARNING Submit complete, legible, virus free packages per paragraphs 1 and 2 above, or we may return your ECP/VECP/RFD without processing them.
- (e) ACO Responsibility. Within ten working days from the day you receive the contractor's request, the ACO must prepare Comments on the ECP, VECP, or RFD in electronic format, and forward it as follows:

ECPs, VECPs, and RFDs. Email a copy of the contractor's request and ACO comments (DD Form 1998) to the engineer majewskv@tacom.army.mil and the buyer identified in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

- (f) Approval of ECPs, VECPs and RFDs.
- (1) ECPs should be used to make permanent changes in the Government Technical Data Package (TDP). Contractual relief should be requested using a Request for Deviation. This is because the Government requires more time to analyze any proposal to permanently change the specification or TDP. Cost saving improvements to the TDP should be submitted as a VECP, if a VE clause is contained in the contract.
- (2) ECPs. TACOM will review and make a decision within the ninety day timeframe. Notification of our decision will be made by the contracting officer or representative.
  - (3) RFDs. Decision on RFDs will be made within 30 days from the date we receive them from the ACO.
- (g) Processing Emergency and Urgent ECPs. Ordinarily, ECPs submitted by the contractor will be deemed routine. If you submit an ECP that you consider to be an emergency or urgent (as defined in paragraph 11 of DDD for ECPs), you must immediately notify the PCO. TACOM will review the criticality of the ECP, and, if we determine that it is urgent or critical, we'll follow the appropriate processing time-frames as outlined in paragraph 11 of the DDD for ECPs.
- (h) Reminder Only the PCO can change the Contract. NO OTHER GOVERNMENT REPRESENTATIVE is authorized to make a commitment for, or bind the Government.
  - (i) RFDs shall contain sufficient pricing data to determine if a downward equitable adjustment to the contract is required.
  - (j) Questions.
- (1) Questions about preparation and submittal of change request should be directed to the Government Quality Assurance Representative (OAR).
- (2) Questions about the status of change requests you've already submitted, contact the buyer. You can find the buyer's name, number and e-mail address in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form

CONTINUATION SHEET	Reference No. of Document Be	Page 11 of 22	
CONTINUATION SHEET	PIIN/SIIN W56HZV-04-P-0204	MOD/AMD	
Name of Offeror or Contractor: ROCKWELL ME	CTAL PRODUCTS INC		•

15 52.211-4053 REQUIRED TAILORING LANGUAGE TO ELIMINATE CLASS I OZONE-DEPLETING MAR/2000 (TACOM) SUBSTANCES

- (a) The purchase description or Technical Data Package (TDP) for this purchase order incorporates one or more specifications or standards that, in their unmodified form, either authorize or require the use of Class I Ozone-Depleting Substances (CIODS). For purposes of your performance on this purchase order, those specifications (which are identified in paragraph (b) of this clause) are modified by special tailoring language which appears in the TACOM Acquisition Center's web-site. Directions for reaching our web-site and locating the required tailoring language appear in paragraph (c) of this clause.
- (b) Tailoring language to eliminate the authorization or requirement to use Class I Ozone-Depleting Substances (CIODS) is hereby incorporated into this contract by reference. Packaging Specifications MIL-L-61002 and MIL-STD-129, where they apply, are affected by this tailoring language. Other specifications and standards affected are: N/A.
- (c) The CIODS listing that contains the required tailoring language is on the TACOM Acquisition Center web-site, which you can reach by using this URL: http://contracting.tacom.army.mil/ciods.html

[End of Clause]

16 52.211-4517 PACKAGING REQUIREMENTS (COMMERCIAL) SEP/2003

(a) The preservation, packing, and marking requirements for this order shall be accomplished in accordance with the performance requirements defined herein. The following Packaging requirements shall apply:

LEVEL OF PRESERVATION: Commercial

LEVEL OF PACKING: Commercial

QUANTITY PER UNIT PACKAGE: 001

- (1) Packaging: Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year and meet or exceed the following requirements. It also provides for multiple handling, redistribution and shipment by any mode.
- (2) Cleanliness: Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.
- (3) Preservation: Items susceptible to corrosion or deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and/or watervaporproof barriers.
- (4) Cushioning: Items requiring protection from physical and mechanical damage (e.g. fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handing and shipment.
- (b) Unit Package: A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box.

(c) Unit Package Quantity: Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.

- (d) Intermediate Package: Intermediate packaging is required whenever one or more of the following conditions exists:
  - (1) The quantity is over one (1) gross of the same national stock number,
  - (2) Use enhances handling and inventorying,
  - (3) The exterior surfaces of the unit pack is a bag of any type, regardless of size,
  - The unit pack is less than 64 cubic inches,
  - (5) The weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches.

Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

(e) Packing:

## Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0204

MOD/AMD

Page 12 of 22

Name of Offeror or Contractor: ROCKWELL METAL PRODUCTS INC.

**CONTINUATION SHEET** 

(1) Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.

- (2) Shipping Containers: The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.
- (f) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

#### (g) Marking:

- (1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, dated 15 Dec 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston).
- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".
- (4) Military Shipping Label: Military Shipment Labels may be created using the Computer Automated Transportation Tool  ${\tt Military~Shipment~Label/Issue~Receipt~Release~Document~(CATT~MSL/IRRD).~See~the~web~site:~http://www.asset-trak.com/catt/catt.htm.}~{\tt The}$ software may be downloaded at: http://www.asset-trak.com/catt/msl\_irrd/msl\_irrddownload.htm. Be sure to bookmark this page for future releases of CATT MSL/IRRD.
- (h) Hazardous Materials: In addition to the general instructions listed above, hazardous materials or items as defined in CFR Title 49 are also subject to all applicable Department of Transportation regulations for packaging/packing, marking, labeling, container certification, and transport as listed in Code of Federal Regulations Title 49, Parts 100-180. If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.
- (i) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of nonmanufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.
- (j) Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.
  - (k) SUPPLEMENTAL INSTRUCTIONS: NONE

## Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0204

MOD/AMD

Page 13 of 22

Name of Offeror or Contractor: ROCKWELL METAL PRODUCTS INC.

(TACOM

- (a) The Government hereby reserves the right to increase the quantity of the contract item up to an additional quantity of 273 units. The unit price for such option quantity shall be as set forth in CLIN 0002AA. This option may be exercised by the Government at any time, but in any event not later than 120 days after AWARD. In addition, such option may be exercised in increments, subject to the stated total additional quantity limitations, price(s), and the above-stated time for exercise of the option.
- (b) Delivery of the items added by the exercise of this option shall continue immediately after, and at the same rate as, delivery of like items called for under this contract, unless the parties hereto otherwise agree.
- (c) Additionally, prior to the expiration of the original option period identified in paragraph (a) above, the Government may seek a bilateral extension of the option period for an additional period not to exceed 90 days from the expiration date of the original option period.

[End of Clause]

18 52.242-4008 ROUTING OF S: (TACOM)

ROUTING OF SPECIAL PROCESS APPROVALS

AUG/1994

- (a) Specification TT-C-490, which is part of the technical data package for this contract, may require you to get approval from us prior to production for one or more special processes involved in producing this item. You are required to get prior approval unless the specification says otherwise.
- (b) You will prepare the written procedures as the specification requires. You will then route the procedure through the Administrative Contracting Officer (ACO) for review and comment. Once you get the procedure back from the ACO, you will then forward it to the Procuring Contracting Officer (PCO) at TACOM for final approval. The correct address for the PCO is on the face page of this contract.
- (c) You will cite (i) the contract number and (ii) the governing specification or standard on all procedures you submit for approval.

[End of Clause]

19 52.246-4005 (TACOM)

INSPECTION AND ACCEPTANCE POINTS: ORIGIN

FEB/1995

·

- (a) Inspection and acceptance of supplies offered under this purchase order shall take place as specified herein. Inspection: ORIGIN Acceptance: ORIGIN
  - (b) Origin inspection shall take place at the site specified below:

ROCKWELL METAL PRODUCTS INC.
ATTN: RUDY M. LUNG
3232W CERMAK RD
CHICAGO, IL 60623

[End of Clause]

20 52.246-4052

HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT--TACOM QUALITY SYSTEM

MAR/2000

(TACOM)

REQUIREMENT

The Quality System for this procurement is: MIL-I-45208.

[End of Clause]

21 52.247-48

F.O.B. DESTINATION--EVIDENCE OF SHIPMENT (DEVIATION)

JUL/1995

(a) If this contract is awarded on an f. o. b. destination basis, and if transportation is accomplished by common carrier, parcel post, or other than common carrier, the Contractor agrees not to invoice until the supplies are shipped, and to retain the following evidence of shipment (EOS) documentation for a period of 4 years after completion of the contract.

# CONTINUATION SHEET Reference No. of Document Being Continued Page 14 of 22 PIIN/SIIN W56HZV-04-P-0204 MOD/AMD

Name of Offeror or Contractor: ROCKWELL METAL PRODUCTS INC.

- (1) If transportation is accomplished by common carrier, the Contractor will retain a signed copy of the commercial bill of lading of the supplies covered by the invoice, indicating the carrier's intent to ship said supplies to the destination specified in the contract.
  - (2) If transportation is accomplished by parcel post, the Contractor will retain a copy of the mailing certificate, or
- (3) If transportation is by other than common carrier or parcel post, the Contractor will retain the receipt copy of the appropriate delivery document showing receipt at the destination in the contract.
- (b) Retention of the above EOS documentation and having the documentation available for subsequent review, if needed, eliminates the requirement to provide these documents with the Contractor's paper, or electronically transmitted, invoices.

[End of Clause]

22 252.223-7001 HAZARD WARNING LABELS

DEC/1991

- (a) <u>Hazardous material</u>, as used in this clause, is defined in the Hazardous Material Identification and Material Safety Data clause of this contract.
- (b) The Contractor shall label the item package (unit container) of any hazardous material to be delivered under this contract in accordance with the Hazard Communication Standard (29 CFR 1910.1200 et seq). The Standard requires that the hazard warning label conform to the requirements of the standard unless the material is otherwise subject to the labelling requirements of one of the following statutes:
  - (1) Federal Insecticide, Fungicide and Rodenticide Act;
  - (2) Federal Food, Drug and Cosmetics Act;
  - (3) Consumer Product Safety Act;
  - (4) Federal Hazardous Substances Act; or
  - (5) Federal Alcohol Administration Act.
- (c) The Offeror shall list which hazardous material listed in the Hazardous Material Identification and Material Safety Data clause of this contract will be labelled in accordance with one of the Acts in paragraphs (b)(1) through (5) of this clause instead of the Hazard Communication Standard. Any hazardous material not listed will be interpreted to mean that a label is required in accordance with the Hazard Communication Standard.

MATERIAL (If None, Insert None.)	ACT

- (d) The apparently successful Offeror agrees to submit, before award, a copy of the hazard warning label for all hazardous materials not listed in paragraph (c) of this clause. The Offeror shall submit the label with the Material Safety Data Sheet being furnished under the Hazardous Material Identification and Material Safety Data clause of this contract.
- (e) The Contractor shall also comply with MIL-STD-129, Marking for Shipment and Storage (including revisions adopted during the term of this contract).

- 23 252.247-7023 TRANSPORTATION OF SUPPLIES BY SEA (Alternate III dated May 2002) MAY/2002
- (a) Definitions. As used in this clause--
- (1) <u>Components</u> means articles, materials, and supplies incorporated directly into end products at any level of manufacture, fabrication, or assembly by the Contractor or any subcontractor.

## Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0204

MOD/AMD

Page 15 of 22

- (2) Department of Defense (DoD) means the Army, Navy, Air Force, Marine Corps, and defense agencies.
- (3) Foreign flag vessel means any vessel that is not a U.S.-flag vessel.
- (4) Ocean transportation means any transportation aboard a ship, vessel, boat, barge, or ferry through international waters.
- (5) <u>Subcontractor</u> means a supplier, materialman, distributor, or vendor at any level below the prime contractor whose contractual obligation to perform results from, or is conditioned upon, award of the prime contract and who is performing any part of the work or other requirement of the prime contract. However, effective May 1, 1996, the term does not include a supplier, materialman, distributor, or vendor of commercial items or commercial components.
- (6) <u>Supplies</u> means all property, except land and interests in land, that is clearly identifiable for eventual use by or owned by the DoD at the time of transportation by sea.
- (i) An item is clearly identifiable for eventual use by the DoD if, for example, the contract documentation contains a reference to a DoD contract number or a military destination.
- (ii) <u>Supplies</u> includes (but is not limited to) public works; buildings and facilities; ships; floating equipment and vessels of every character, type, and description, with parts, subassemblies, accessories, and equipment; machine tools; material; equipment; stores of all kinds; end items; construction materials; and components of the foregoing.
- (7) <u>U.S.-flag vessel</u> means a vessel of the United States or belonging to the United States, including any vessel registered or having national status under the laws of the United States.
  - (b)(1) The Contractor shall use U.S.-flag vessels when transporting any supplies by sea under this contract.
    - (2) A subcontractor transporting supplies by sea under this contract shall use U.S.-flag vessels if-
      - (i) This contract is a construction contract; or
      - (ii) The supplies being transported are-
        - (A) Noncommercial items; or
        - (B) Commercial items that-
  - (1) The Contractor is reselling or distributing to the Government without adding value (generally, the Contractor does not add value to items that it subcontracts for f.o.b. destination shipment);
  - $(2) \ \, \text{Are shipped in direct support of U.S. military contingency operations, exercises, or forces deployed in humanitarian or peacekeeping operations; or \\$
  - (3) Are commissary or exchange cargoes transported outside of the Defense Transportation System in accordance with 10 U.S.C. 2643.
- (c) The Contractor and its subcontractors may request that the Contracting Officer authorize shipment in foreign-flag vessels, or designate available U.S.-flag vessels, if the Contractor or a subcontractor believes that--
  - (1) U.S.-flag vessels are not available for timely shipment;
  - (2) The freight charges are inordinately excessive or unreasonable; or
  - (3) Freight charges are higher than charges to private persons for transportation of like goods.
- (d) The Contractor must submit any request for use of other than U.S.-flag vessels in writing to the Contracting Officer at least 45 days prior to the sailing date necessary to meet its delivery schedules. The Contracting Officer will process requests submitted after such date(s) as expeditiously as possible, but the Contracting Officer's failure to grant approvals to meet the shipper's sailing date will not of itself constitute a compensable delay under this or any other clause of this contract. Requests shall contain at a minimum--
  - (1) Type, weight, and cube of cargo;
  - (2) Required shipping date;
  - (3) Special handling and discharge requirements;
  - (4) Loading and discharge points;
  - (5) Name of shipper and consignee;
  - (6) Prime contract number; and
  - (7) A documented description of efforts made to secure U.S.-flag vessels, including points of contact (with names and

## Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0204

MOD/AMD

Name of Offeror or Contractor: ROCKWELL METAL PRODUCTS INC.

telephone numbers) with at least two U.S.-flag carriers contacted. Copies of telephone notes, telegraphic and facsimile message or letters will be sufficient for this purpose.

- (e) The Contractor shall, within 30 days after each shipment covered by this clause, provide the Contracting Officer and the Division of National Cargo, Office of Market Development, Maritime Administration, U.S. Department of Transportation, Washington, DC 20590, one copy of the rated on board vessel operating carrier's ocean bill of lading, which shall contain the following information—
  - (1) Prime contract number;
  - (2) Name of vessel;
  - (3) Vessel flag of registry;
  - (4) Date of loading;
  - (5) Port of loading;
  - (6) Port of final discharge;
  - (7) Description of commodity;
  - (8) Gross weight in pounds and cubic feet if available;
  - (9) Total ocean freight in U.S. dollars; and
  - (10) Name of the steamship company.
- (f) The Contractor shall insert the substance of this clause, including this paragraph (f) in subcontracts that are for a type of supplies described in paragraph (b)(2) of this clause.

[End of Clause]

24 52.204-4005 REQUIRED USE OF ELECTRONIC CONTRACTING (TACOM)

DEC/2002

Page 16 of 22

- (a) All contract awards, modifications and delivery orders issued by TACOM will be issued electronically. The contractor has the option to receive these actions either via the Worldwide Web (WWW) or Electronic Data Interchange (EDI). Many provisions/clauses that appear "by reference", meaning only clause titles and regulation site are listed; their full texts can be found at the website http://farsite.hill.af.mil/
- (b) In order to be eligible to receive an award under this solicitation, the successful offeror must be registered with the Department of Defense (DOD) Central Contractor Registration (CCR). The CCR registration process may be done electronically at the World Wide Web (WWW) site: http://www.ccr.gov/. (In order to be registered to use EDI, you must use the long form for registration. Certification information, including information on the EDI 838 TPP, must be furnished to the Contracting Officer within 60 calendar days after contract award to complete networking requirements within the Government.)
- (c) Worldwide Web Distribution. The contractor will receive an electronic Notice of the Award, Modification, or Delivery Order via e-mail. If you choose the WWW option, you must download the file from the appropriate TACOM webpage:

Warren: http://contracting.tacom.army.mil/awards\_official.htm
Rock Island: http://aais.ria.army.mil/AAIS/AWDINFO/index.htm
Picatinny: http://procnet.pica.army.mil/Contracts/Index.htm
Red River Army Depot: http://www.redriver.army.mil/contracting/Awards
Anniston Army Depot: http://www.anadprocnet.army.mil

- (d) Electronic Data Interchange. If you choose to receive contract awards, modifications and delivery orders through EDI, they will be delivered electronically via the Federal Acquisition Network (FACNET). Federal Standard Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.
- (1) You must complete the EDI 838 Trading Partner Profile, and must agree (i) to subcontract with a DoD certified VAN or Value Added Service (VAS) provider, or (ii) to become DoD certified as a Value Added Network (VAN). The EDI 838 Training Partner Profile is contained in the basic CCR registration form and includes portions of the registration form which are titled "Optional".
- (2) You must select a VAN from the official DoD approved list. DoD Certified VANs are listed at http://www.acq.osd.mil/ec/ecip/index.htm . If your VAN is later removed from the official list, or if you voluntarily drop your

## Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0204

MOD/AMD

Page 17 of 22

Name of Offeror or Contractor: ROCKWELL METAL PRODUCTS INC.

initially selected VAN, then you must switch to a VAN that remains on the official DoD approved list. You must maintain an active account on a DoD approved VAN for the entire duration of the contract, beginning no later than the 60th day after award.

- (e) Unless otherwise specified elsewhere in the contract, all data items you are required to provide under this contract must be submitted electronically. Acceptable formats include:
  - (1) Microsoft\* 97 Office Products (TACOM can currently read OFFICE 97\* and lower.): Word, Excel, Powerpoint, or Access
  - (2) 100 OR 250 MEGABYTE ZIP\*-DISK, 3 1/2 INCH DISK, OR 650 MEGABYTE CD ROM
  - (3) E-MAIL (Maximum size of each e-mail message is be three and one-half (3.5) megabytes).
- (4) Other electronic formats. Before submitting your data in any other electronic format, please e-mail the buyer identified on the face of the contract, with e-mail copy-furnished to amsta-idq@tacom.army.mil, to obtain a decision as to the format's acceptability. This e-mail must be received by the buyer not later than ten calendar days before the required data submission date.

NOTE: The above formats may be submitted in compressed form using self-extracting files.

(f) Additional information can be obtained by sending a message to: acqcenweb@tacom.army.mil or by calling (586) 574-7059.

[End of Clause]

25 52.204-4009 MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION JUN/1999 (TACOM)

- (a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the "Electronic Quotations/Offers/Bids Required in Response to this Request for Quotations/Proposals/Bids" clause elsewhere in this document. (See Section K for commercial acquisitions, Section L for RFPs, and Section I for RFOs.)
- (b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.
- (c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).
- (d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.
- (e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.

[End of Clause]

26 52.211-4008 DRAWING LIMITATIONS NOV/2002 (TACOM)

- (a) The drawings supplied with this contract are <u>not</u> shop or process drawings. They are engineering design drawings. They are adequate to permit manufacture, and:
  - (1) depict the completed (item(s), and
  - (2) serve as the basis for inspection of the completed item(s).
- (b) These drawings DON'T cover intermediate drawings/specifications or steps in the manufacturing process. As a result, even if you meet all the dimensions and tolerances specified in the engineering design drawing for each individual part, a cumulative unacceptable fit for the contract item could result.
- (c) YOU ARE RESPONSIBLE for producing the shop or process drawings needed to cover intermediate steps in the manufacturing process.

## Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0204

MOD/AMD

Page 18 of 22

Name of Offeror or Contractor: ROCKWELL METAL PRODUCTS INC.

(d) The Contractor agrees that he has obtained all specifications and drawings necessary to manufacture the items being solicited in accordance with the TDP including all incorporated specifications and drawings. The contractor is responsible for having all drawings and specifications. Delivery delays are not excusable where the contractor asserts that it did not have a specification or drawing and has failed to request, in writing, the specification from either the Contracting Officer or Contract Specialist prior to the solicitation closing date.

(e) If you fail to produce an end item with a cumulative fit that conforms to Government drawings, specifications or other supplemental manufacturing documentation, you'll be responsible for correcting this condition at no additional cost to the Government and no delivery schedule extension.

[End of Clause]

27 52.211-4016 CARC PAINT-PRETREATMENT REQUIREMENTS FOR FERROUS, GALVANIZED AND AUG/2003
ALUMINUM SURFACES

(a) Ferrous and galvanized surfaces shall be cleaned and pretreated with a Type 1 microcrystalline zinc phosphate system per TT-C-Alternate pretreatment systems for ferrous substances must meet the performance tests specified in paragraphs 3.5.7, 3.5.8, Corrosion resistance tests will be conducted on a monthly basis (two test coupons) after the process 4.2.7, and 4.2.8 of TT-C-490E. has been found to be in compliance with the (pretreatment chemicals) manufacturers instructions. Process control tests for this or alternative systems must ensure that the process remains in control and must be documented per ISO 9000 series and approved by TACOM. Testing (corrosion resistance and adhesion) must be performed on the same substrate and the same thickness of primer minus topcoat used in production. Unless otherwise specified, MIL-P-53022 and -53030 primers shall be salt spray tested for 336 hours (ASTM B117). All electrocoat primers shall be tested for 1000 hours. Test coupons shall be scraped at a 30 degree contact angle (approximate), with a one inch (approximate) metal blade such as a putty knife, between 24 and 168 hours after removal from the neutral salt spray cabinet for coupon evaluation. Any TT-C-490E (Type I) inorganic crystalline pretreatment is limited to a maximum build equivalent of 500 mg per square foot to minimize chipping of the CARC system. All TT-C-490E (Type I) zinc phosphate pretreatment systems must be documented per ISO 9000 series and approved by the procuring activity prior to use. The procedure containing all the elements specified in paragraph 3.2 of TT-C-490E shall be submitted to the procuring activity no less than 45 days prior to start of work. Oualification will consist of verification that the process with its controls can meet the performance requirements in the specification. The performance of zinc phosphate or any proposed alternate pretreatment system must be demonstrated and approved by the procuring activity. Prior to production, a Letter of Approval shall be provided by the Contracting Officer. Requalification of the process shall be required if the process is changed outside the limits defined in the TACOM letter of system

acceptance (Letter of Approval) provided to the application facility.

Note: Zinc phosphate systems for galvanized surfaces require separate qualification. Hot dipped galvanized surfaces are highly prone to chlorine/chloride contamination from the galvanizing flux process. This contaminant must be removed prior to pretreatment for the coating system to pass these performance tests. Due to the wide variation in zinc thickness with the hot dip galvanizing process, the dry film thickness of the primer will be verified with a Tooke gage or equivalent for the purpose of production and process control. Primer test coupons shall represent both the minimum and maximum nominal dry film thickness. The test coupons must duplicate the production painting process as closely as possible.

- (b) Qualification of pretreatment systems for zinc galvanized substrates shall be performed using Accelerated Corrosion Test protocol contained in GM 9540P, Method B, rather than salt spray. Test coupons with pretreatment and primer only shall be cured for seven days, and then scribed through the primer to the substrate. After 40 cycles of test exposure, the test coupons shall be scraped at a 30 degree contact angle (approximate), with a one inch (approximate) metal blade such as a putty knife, both parallel and perpendicular to the scribe between 24 and 168 hours after removal from the cyclic salt spray chamber for coupon evaluation. There shall be no more than 3 mm of red rust creep, blistering, or loss of paint adhesion from the scribe line and no more than 5 blisters in the field with none greater than 1 mm diameter. This test shall be performed at two month intervals (two test coupons) to ensure that the process remains in control.
- (c) Aluminum substrates require a chromate conversion coating per MIL-C-5541E (or alternate, see note below), after appropriate cleaning per TT-C-490E. If any other alternate pretreatment is considered, it must pass 120 cycles of GM9540P, as a scribed Q-panel when coated with the production primer. After completion of the cyclic salt environment exposure, the panels shall be scraped as described above, and shall have no more than 0.5 mm paint loss (creep-back) from the scribe. In addition, there shall be no more than 5 blisters in the field with none larger than 1mm diameter. After completion of the 120 cycle corrosion resistance test evaluation, each test panel will be subjected to cross hatch tape test (ASTM D3359, minimum tape adhesion rating of 45 oz. per inch of width). The test pattern shall be 4 lines x 4 lines scribed to the metallic layer at 2mm intervals (approximate) and shall be done no closer than 12 mm from any panel edge or the scribe. Multiple head cutters may be used. The removal of two or more complete squares of primer shall constitute failure. Any alternate system must demonstrate its ability to pass both corrosion and adhesion tests on 5 consecutive days of production to be considered acceptable. All process steps shall be documented IAW ISO 9000 series standards and approved by the procuring activity.

Note: The only alternative products which have demonstrated their ability to meet these requirements for 5000 and 6000 series aluminum allows are Alodine 5200 and Alodine 5700.

## **Reference No. of Document Being Continued**

PIIN/SIIN W56HZV-04-P-0204

MOD/AMD

Page 19 of 22

Name of Offeror or Contractor: ROCKWELL METAL PRODUCTS INC.

(d) The use of TT-C-490E Type III: Vinyl Wash Primer (DOD-P-15328) is prohibited due to its hexavalent chromium content and high VOC level. The Army is committed to minimizing the use of HAPs and hazardous materials.

[End of Clause]

28 52.211-4030 SPECIAL TESTING REQUIREMENTS FOR CHEMICAL AGENT RESISTANT COATINGS MAR/2001

(TACOM) (CARC) ON METALLIC SURFACES

(a) <u>Application</u>: MIL-C-46168 MIL-C-53039 MIL-PRF-22750

- (b) <u>End-Item Paint Inspection</u>: After the complete paint finish has been applied and cured\* (See \*Note, below), the Contractor shall test and inspect two units per lot for (i) workmanship, (ii) total paint film thickness, and (iii) paint adhesion. Unless otherwise agreed to between the Contractor and the cognizant Government quality assurance representative, a <u>lot</u> shall be defined as all units submitted for final Government acceptance at one time. The use of test panels in lieu of actual production units is prohibited. At final inspection, the cumulative total paint film thickness of pretreatment, primer, and topcoat shall at a minimum conform to the sum of the minimum thicknesses for individual elements of the paint finish as specified in the Film Thickness Table below. Sufficient locations shall be spot-checked to ensure proper workmanship and paint thickness uniformity. The size and configuration of the unit as well as the number of vendors responsible for the paint finish of component parts shall be taken into consideration in determining the number of locations to be checked. The specific number of test locations shall be agreed to by the cognizant Government quality assurance representative in advance. In addition, two locations on each sample unit shall be selected to conduct the scribe tape test. The test locations shall be routinely varied among the following:
  - (1) Directly adjacent to a weld
  - (2) On or directly adjacent to a machine cut or sheared edge.
  - (3) On any mechanically formed surface when lubricants/drawing compounds were used.
  - (4) On paint touch-up areas.
- (c) The precise location for each scribe tape test shall be in an inconspicuous location that has been accepted by the cognizant Government quality assurance representative before the test is conducted.
- (d) Upon completion of the scribe tape test, the scribe marks shall be feathered into the adjacent area and touched up with the required top coat so that the tested area again conforms to the applicable minimum specified in the Film Thickness Table below.
- \*Note: The complete paint finish is defined as the pretreatment, primer, and topcoat applied to the substrate. Curing of the complete paint finish is dependent upon temperature, humidity, and paint film thickness. The time necessary to achieve sufficient adhesion to pass the scribe tape test must be determined by each facility. For purposes of this test, curing at ambient temperature will take from 24 days.

## (e) <u>Test Methods</u>:

- (1) <u>Film Thickness</u>. Film thickness shall be verified with a nondestructive film gage. The gage shall be suitable for measurements over the applicable substrate material and shall have sufficient accuracy to ensure compliance to the thickness limitations. The gage shall be capable of being calibrated. If no other calibration specification or requirement is identified elsewhere in this contract, then the gage shall be calibrated in accordance with ISO 10012.
- (2) <u>Scribe Tape Test</u>. The following test procedure shall be followed. The test surface shall be sufficiently warm and dry to ensure adhesion of the tape. All dimensions cited in this Scribe Tape Test description are approximate:
- (i) Scribe four one-inch lines completely through the paint finish to the substrate, one sixteenth to three thirty-seconds of an inch apart.
- (ii) Scribe four additional one-inch lines, completely through the paint finish, one sixteenth to three thirty-seconds of an inch apart, rotated 90 degrees with respect to the first set of lines. The resulting pattern shall contain nine squares.
- (iii) Press a length of A-A-1830, A-A-884, or any commercially available tape with a minimum adhesion rating of 45 oz. per inch of width firmly over the scribed pattern, rubbing out all air pockets.
- (iv) Wait 10 seconds, minimum. Grasp a free end of the tape and at a rapid speed strip it from the paint surface by pulling the tape back upon itself at 180 degrees.

#### (f) Interpretation of Test Results

## CONTINUATION SHEET Reference No. of Document Being Continued

MOD/AMD

Page 20 of 22

PIIN/SIIN W56HZV-04-P-0204

Name of Offeror or Contractor: ROCKWELL METAL PRODUCTS INC.

NOTE: These two tests are not a substitute for corrosion tests such as neutral salt spray or accelerated corrosion tests which verify coating durability.

(1) Film Thickness. All applicable surfaces shall have complete paint coverage. A minimum of 75% of the applicable surfaces of each test unit shall meet the minimum, cumulative dry film thickness requirements. Failure of either test unit shall result in rejection of the production lot that it represents.

#### FILM THICKNESS TABLE

SPECIFICATION	DRY FILM THICKNESS (Mils)
DOD-P-15328*	0.3 - 0.5
MIL-PRF-23377	1.0 - 1.5
MIL-P-53022	1.0 - 1.5
MIL-PRF-22750	1.3 - 1.7
MIL-P-53030	1.0 - 1.5
MIL-C-46168	1.8 - 3.2
MIL-C-53039	1.8 - 3.2

<sup>\*</sup>May not be allowed per contract due to VOC and hexavalent chromium content.

(2) Scribe Tape Test (Adhesion). The removal of two or more complete squares of top coat, or top coat-primer-pretreatment coating, from either test unit constitutes test failure and the production lot from which it comes is rejected. Removal of overspray does not constitute test failure.

Notice: The scribe tape test is designed to detect any deficiency in the paint application process that would affect the durability of the CARC finish. Typical causes of failure are:

- (i) Inadequate cleaning of the substrate.
- (ii) Contamination of the surface between coatings.
- (iii) Excessive paint film thickness in a single coating application.
- (iv) Application of a coating over a previous coating which has not been adequately cured.

It is strongly recommended that the Contractor implement rigid in-process controls in conjunction with the best industrial painting practices to ensure that the performance requirements specified in this clause are met.

[End of Clause]

29 52.211-4036 FORMAT OF THE TECHNICAL DATA PACKAGE (TACOM)

APR/2000

- (a) The TDP for the contract item is available only in electronic format via the TACOM Contracting Webpage (contracting.tacom.army.mil). TACOM-Warren has discontinued its practice of providing hard copies (i.e. CD ROM) of technical data packages (TDPs). You must obtain a copy of the TDP for this solicitation via the TACOM Contracting Webpage. For those TDPs not available via the webpage, the TDP will be issued free of charge in CD-ROM format. The CD-ROM includes the necessary software to access, view, and print individual images that are included in the TDP. The CD-ROM can be read in any personal computer that includes a CD-ROM drive. If your company does not have a personal computer with a CD-ROM drive, you can take the CD-ROM disk to any of various commercial computing or copying/printing service, to have hard copies produced.
- (b) TDPs available via the TACOM Contracting Webpage may be purchased in CD ROM format for a fee of \$4.60 each. Requests for CD ROMs and payment should be mailed to:

USATACOM

AMSTA-CM-CDD (TDP Requests)

## Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-P-0204

MOD/AMD

Page 21 of 22

Name of Offeror or Contractor: ROCKWELL METAL PRODUCTS INC.

Warren, MI 48397-5000

Make checks payable to the United States Treasury. Points of Contact for this initiative: Gerri Mackey and Diane Woods at (586) 574-7061, and Gloria McCullough at (586) 574-7064.

[End of Provision]

30 52.215-4404 (TACOM) DATA AND COMMUNICATIONS SUBMITTED TO THE GOVERNMENT ELECTRONICALLY

MAY/2002

- (a) The Government often employs contractors as system administrators to operate and maintain Government computer systems. These systems include local area networks, web sites, databases, other electronic records, e-mail accounts, other electronic data transfer mechanisms and computer software. The employees of these contracted system administrators sign nondisclosure agreements obligating them not to reveal information contained in files, documents, computers or systems that they administer. However, unless such information is
- (b) Potential contractors as well as any other parties are thus advised to take steps needed to prevent access by contracted system administrators to information submitted electronically to the Government. Absent such steps, it is assumed that contracted system administrators are permitted the capability to access the data. The access will be limited to that which is necessary for the contract system administrator to perform its duties for the Government. The access shall be subject to the condition that third party information is not to be revealed by the contracted system administrator.

[End of Clause]

31 52.246-4026 (TACOM) LOCAL ADDRESS FOR DD FORM 250

protected in some way, contracted system administrators do have the ability to access such information.

MAR/2002

- (a) The contractor must provide a copy of each Material Inspection and Receiving Report (DD 250) pertaining to this contract, to the addresses given below, using either of the following methods:
  - (1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address:

DD250@tacom.army.mil

(2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number:

(586) 574-7552 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract.

- (b) These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F.
  - (c) The DD250 form may be found, in three different formats, on the World Wide Web at http://web1.whs.osd.mil/icdhome/DD-0999.htm

CONTINUATION SHEET		Reference No. of Document Being Continued			Page 22 of 22
		PIIN/SIIN W56HZV-04-P-0204	MOD/AMD		
Name of Offeror	or Contractor: ROCKWELL M	ETAL PRODUCTS INC.			
LIST OF ATTACHMEN	ITS				
List of				Number	
Addenda		Title	Date	of Pages	Transmitted By
Attachment 001	TDP 12296922		18-SEP-2003		DATA